

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name EP FILLER N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Edge paint basecoat

Identified Uses	Industrial	Professional	Consumer
Products for the treatment of leather articles	-	✓	-
Uses Advised Against			
All other uses are not recommended			

1.3. Details of the supplier of the safety data sheet

Name Uniters Spa
Full address Via E. De Nicola, 1
District and Country 36075 Montecchio Maggiore (VI)
Italia
Tel. 0039 0444 499099
Fax 0039 0444 499106
e-mail address of the competent person responsible for the Safety Data Sheet safetydata@uniters.com

1.4. Emergency telephone number

For urgent inquiries refer to (GB & NI) NHS 111
(IE) National Poisons Information Centre (NPIC):
01 809 2166 (8am - 10pm 7 days a week)
01 809 2566 (24/7 Healthcare Professionals only)
(SWITZERLAND) Tox Info Suisse 145

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin sensitization, category 1

H317

May cause an allergic skin reaction.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

Uniters Spa		Revision nr.3 Dated 14/10/2025 Printed on 14/10/2025 Page n. 2 / 15 Replaced revision:2 (Dated 07/01/2025)		EN
EP FILLER N				
SECTION 2. Hazards identification ... / >>				
H317	May cause an allergic skin reaction.			
Precautionary statements:				
P280	Wear protective gloves.			
P261	Avoid breathing dust / fume / gas / mist / vapours / spray.			
P333+P313	If skin irritation or rash occurs: Get medical advice / attention.			
P362+P364	Take off contaminated clothing and wash it before reuse.			
Contains:	1,2-benzisothiazol-3(2H)-one 2-methyl-2H-isothiazol-3-one			
2.3. Other hazards				
On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.				
The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.				
SECTION 3. Composition/information on ingredients				
3.1. Substances				
Information not relevant				
3.2. Mixtures				
Contains:				
Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)		
(2-methoxymethylethoxy)propanol				
INDEX	5 ≤ x < 7	Substance with a community workplace exposure limit.		
EC	252-104-2			
CAS	34590-94-8			
REACH Reg.	01-2119450011-60			
2-(2-BUTOXYETHOXY)ETHANOL				
INDEX	603-096-00-8	0.45 ≤ x < 0.5	Eye Irrit. 2 H319	
EC	203-961-6			
CAS	112-34-5			
REACH Reg.	01-2119475104-44-XXXX			
1,2-benzisothiazol-3(2H)-one				
INDEX	613-088-00-6	0.03 ≤ x < 0.05	Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1	
EC	220-120-9	LD50 Oral: 490 mg/kg, ATE Inhalation mists/powders: 0.051 mg/l		
CAS	2634-33-5			
REACH Reg.	01-2120761540-60			
AMMONIA				
INDEX	007-001-01-2	0.01 ≤ x < 0.03	Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411, Classification note according to Annex VI to the CLP Regulation: B	
EC	215-647-6	STOT SE 3 H335: ≥ 5%		
CAS	1336-21-6	ATE Inhalation gas: 4500 ppm		
REACH Reg.	01-2119488876-14-XXXX			
2-methyl-2H-isothiazol-3-one				
INDEX	613-326-00-9	0 < x < 0.02	Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1, EUH071	
EC	220-239-6	Skin Sens. 1A H317: ≥ 0.0015%		
CAS	2682-20-4	LD50 Oral: 120 mg/kg, LD50 Dermal: 242 mg/kg, LC50 Inhalation mists/powders: 0.11 mg/l/4h		
The full wording of hazard (H) phrases is given in section 16 of the sheet.				
COPY 11.9.2 - SDS 1004.14				

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 3 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 4. First aid measures

4.1. Description of first aid measures

If in doubt or if you experience symptoms, contact a doctor and show him this document.

In case of more serious symptoms, call the emergency number to obtain immediate medical help.

EYES: Remove any contact lenses. Wash thoroughly with warm water for at least 15 minutes, opening the eyelids wide. Consult a doctor if the problem persists.

SKIN: Wash with soap and water. If irritation persists, consult a doctor.

INHALATION: Move the subject to fresh air. If breathing is difficult, call a doctor immediately.

INGESTION: Consult a doctor immediately. Induce vomiting only when advised by your doctor. Do not administer anything orally if the subject is unconscious and unless authorized by the doctor.

Rescuer protection

It is good practice for the rescuer who provides help to a person who has been exposed to a substance chemical or a mixture, wear personal protective equipment. The nature of those protections depends on the hazard of the substance or mixture, the mode of exposure and the extent of the exposure contamination. In the absence of other more specific indications, it is recommended to use gloves disposable in case of possible contact with biological liquids. For the type of PPE suitable for characteristics of the substance or mixture, refer to section 8.

4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Means to have available in the workplace for specific and immediate treatment

Water for skin and eye washing.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

Uniters Spa EP FILLER N		Revision nr.3 Dated 14/10/2025 Printed on 14/10/2025 Page n. 4 / 15 Replaced revision:2 (Dated 07/01/2025)	EN
SECTION 6. Accidental release measures ... / >>			
6.2. Environmental precautions			
The product must not penetrate into the sewer system or come into contact with surface water or ground water.			
6.3. Methods and material for containment and cleaning up			
Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.			
6.4. Reference to other sections			
Any information on personal protection and disposal is given in sections 8 and 13.			
SECTION 7. Handling and storage			
7.1. Precautions for safe handling			
Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.			
7.2. Conditions for safe storage, including any incompatibilities			
Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.			
7.3. Specific end use(s)			
The intended uses are indicated in Section 1. No other particular end uses are foreseen.			
SECTION 8. Exposure controls/personal protection			
8.1. Control parameters			
Regulatory references:			
DEU	Deutschland	WirkungDosisNOAELMAK-und BAT-Werte-Liste 2024 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe	
DNK	Danmark	BEK nr 291 af 19/03/2024 (Historisk) Bekendtgørelse om grænseværdier for stoffer og materialer (kemiske agenser) i arbejdsmiljøet	
ESP	España	Límites de exposición profesional para agentes químicos en España 2024	
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021	
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH HÄLSOVÄRDSMINISTERIETS PUBLIKATIONER 2020:25	
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről	
HRV	Hrvatska	PRAVILNIK O IZMJENAMA I DOPUNAMA PRAVILNIKA O ZAŠTITI RADNIKA OD IZLOŽENOSTI OPASNIM KEMIČALIJAMA NA RADU, GRANIČNIM VRIJEDNOSTIMA IZLOŽENOSTI I BIOLOŠKIM GRANIČNIM VRIJEDNOSTIMA	
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81	
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. 10. april 2024 kl. 13.55	
NLD	Nederland	Regeling van de Minister van Sociale Zaken en Werkgelegenheid van 13 mei2024, nr. 2024-0000092805, tot wijziging van deArbeidsomstandighedenregeling in verband met de implementatie vanRichtlijn 2022/431	
PRT	Portugal	Decreto-Lei n.º 102/2024, de 4 de dezembro. Sumário: Transpõe para a ordem jurídica interna a Diretiva (UE) 2022/431, relativa à proteção dos trabalhadores contra riscos ligados à exposição a agentes cancerígenos ou mutagénicos e procede à quarta alteração	
POL	Polska	ROZPORZĄDZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 24 czerwca 2024 r. zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy	
ROU	România	HOTĂRÂRE nr. 179 din 28 februarie 2024 pentru modificarea și completarea Hotărârii Guvernului nr. 1.093/2006 privind stabilirea cerințelor minime de securitate și sănătate pentru protecția lucrătorilor împotriva riscurilor legate de expunerea la agenți ca	
RUS	Россия	ПОСТАНОВЛЕНИЕ от 13 февраля 2018 г. N 25 ОБ УТВЕРЖДЕНИИ ГИГИЕНИЧЕСКИХ	
EPY 11.9.2 - SDS 1004.14			

SECTION 8. Exposure controls/personal protection ... / >>

SWE	Sverige	NORMATIVOV GH 2.2.5.3532-18 "ПРЕДЕЛЬНО ДОПУСТИМЫЕ КОНЦЕНТРАЦИИ (ПДК) ВРЕДНЫХ ВЕЩЕСТВ В ВОЗДУХЕ РАБОЧЕЙ ЗОНЫ"
SVK	Slovensko	Arbetsmiljöverkets föreskrifter och allmänna råd (AFS 2023:14) om gränsvärden för luftvägsexponering i arbetsmiljön
SVN	Slovenija	121_2024 Z. z. Nariadenie vlády o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym, mutagénnym alebo reprodukčne toxickým faktorom pri práci
GBR	United Kingdom	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti rakotvornim, mutagenim ali reprotoksičnim snovem pri delu. Ljubljana, četrtek 4. 4. 2024
EU	OEL EU	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
	ACGIH	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
		ACGIH 2025

1,2-benzisothiazol-3(2H)-one								
Predicted no-effect concentration - PNEC								
Normal value in fresh water					0.00403	mg/l		
Normal value in marine water					0.00040	mg/l		
					3			
Normal value for fresh water sediment					0.0499	mg/kg/d		
Normal value for marine water sediment					0.00499	mg/kg/d		
Normal value for marine water, intermittent release					0.0011	mg/l		
Normal value for fresh water, intermittent release					0.00011	mg/l		
Normal value of STP microorganisms					1.03	mg/l		
Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		NPI		NPI				
Inhalation	NPI	NPI	NPI	1.2 mg/m3	NPI	NPI	NPI	6.81 mg/m3
Skin	HIGH	NPI	HIGH	0.345 mg/kg bw/d	HIGH	NPI	HIGH	0.966 mg/kg bw/d

2-methyl-2H-isothiazol-3-one								
Threshold Limit Value								
Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations		
AGW	DEU	0.2		0.4		INHAL		
MAK	DEU	0.2		0.4		INHAL		
Predicted no-effect concentration - PNEC								
Normal value in fresh water						0.00339	mg/l	
Normal value in marine water						0.00339	mg/l	
Normal value for fresh water sediment						NPI		
Normal value for marine water sediment						NPI		
Normal value for marine water, intermittent release						0.00339	mg/l	
Normal value for fresh water, intermittent release						0.00339	mg/l	
Normal value of STP microorganisms						0.23	mg/l	
Normal value for the terrestrial compartment						0.047	mg/kg	
Normal value for the atmosphere						NPI		
Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		0.053 mg/kg bw/d		0.027 mg/kg bw/d				
Inhalation	0.043 mg/m3	NPI	0.021 mg/m3	NPI	0.043 mg/m3	NPI	0.021 mg/m3	NPI
Skin	MED	NPI	NPI	NPI	MED	NPI	NPI	NPI

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 6 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 8. Exposure controls/personal protection ... / >>

AMMONIA

Threshold Limit Value

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
VLEP	ITA	14	20	36	50	
OEL	EU	14	20	36	50	
ACGIH		17	25	24	35	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.001	mg/l
Normal value in marine water	0.001	mg/l
Normal value for water, intermittent release	0.008	mg/l
Normal value for the terrestrial compartment	0.022	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		6.8 mg/kg bw/d		6.8 mg/kg bw/d				
Inhalation	7.2 mg/m3	23.8 mg/m3	2.8 mg/m3	23.8 mg/m3	36 mg/m3	47.6 mg/m3	14 mg/m3	47.6 mg/m3
Skin	MED	6.8 mg/kg bw/d	MED	6.8 mg/kg bw/d	MED	6.8 mg/kg bw/d	MED	6.8 mg/kg bw/d

(2-methoxymethylethoxy)propanol

Threshold Limit Value

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
AGW	DEU	310	50	310	50	
MAK	DEU	310	50	310	50	
TLV	DNK	309	50	618	100	SKIN E
VLA	ESP	308	50			SKIN
VLEP	FRA	308	50			SKIN
HTP	FIN	310	50			SKIN
AK	HUN	308				
GVI/KGVI	HRV	308	50			SKIN
VLEP	ITA	308	50			SKIN
TLV	NOR	300	50			SKIN
TGG	NLD	300	48.7			
VLE	PRT	308	50			SKIN
NDS/NDSch	POL	240		480		SKIN
TLV	ROU	308	50			SKIN
NGV/KGV	SWE	300	50	450 (C)	75 (C)	SKIN
NPEL	SVK	308	50			SKIN
MV	SVN	308	50			SKIN
WEL	GBR	308	50			SKIN
OEL	EU	308	50			SKIN
ACGIH			50			

Predicted no-effect concentration - PNEC

Normal value in fresh water	19	mg/l
Normal value in marine water	1.9	mg/l
Normal value for fresh water sediment	70.2	mg/kg
Normal value for marine water sediment	7.02	mg/kg
Normal value for marine water, intermittent release	190	mg/l
Normal value of STP microorganisms	4168	mg/l
Normal value for the terrestrial compartment	2.74	mg/kg
Normal value for the atmosphere	NPI	

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		NPI		36 mg/kg bw/d				
Inhalation	NPI	NPI	NPI	37.2 mg/m3	NPI	NPI	NPI	308 mg/m3
Skin	NPI	NPI	NPI	121 mg/kg bw/d	NPI	NPI	NPI	283 mg/kg bw/d

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 7 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 8. Exposure controls/personal protection ... / >>

2-(2-BUTOXYETHOXY)ETHANOL

Threshold Limit Value

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
AGW	DEU	67	10	100.5 (C)	15 (C)	Hinweis
MAK	DEU	67	10	100.5	15	Hinweis
TLV	DNK	68	10	136	20	E
VLA	ESP	67.5	10	101.2	15	
VLEP	FRA	67.5	10	101.2	15	
HTP	FIN	68	10			
AK	HUN	67.5		101.2		
GVI/KGVI	HRV	67.5	10	101.2	15	
VLEP	ITA	67.5	10	101.2	15	
TLV	NOR	68	10			
TGG	NLD	50	7.4	100	14.8	SKIN
VLE	PRT	67.5	10	101.2	15	
NDS/NDSch	POL	67		100		
TLV	ROU	67.5	10	101.2	15	
ПДК	RUS			5		n
NGV/KGV	SWE	68	10	101	15	
NPEL	SVK	67.5	10	101.2	15	
MV	SVN	67.5	10	101.2	15	
WEL	GBR	67.5	10	101.2	15	
OEL	EU	67.5	10	101.2	15	
ACGIH		66	10			INHAL

Predicted no-effect concentration - PNEC

Normal value in fresh water	1.1	mg/l
Normal value in marine water	0.11	mg/l
Normal value for fresh water sediment	4.4	mg/kg
Normal value for marine water sediment	0.44	mg/kg
Normal value for marine water, intermittent release	11	mg/l
Normal value of STP microorganisms	NPI	
Normal value for the food chain (secondary poisoning)	56	mg/kg
Normal value for the terrestrial compartment	0.32	mg/kg
Normal value for the atmosphere	NPI	

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		NPI		6.25 mg/kg bw/d				
Inhalation	LOW	NPI	LOW	NPI	101.2 mg/m3	NPI	67.5 mg/m3	NPI
Skin	NPI	NPI	NPI	NPI	NPI	NPI	LOW	NPI

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

None required.

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 8 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 8. Exposure controls/personal protection ... / >>

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	white	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	> 100 °C	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not available	Reason for missing data:The product is not flammable up to 100°C
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	8.3	Temperature: 25 °C
Kinematic viscosity	not available	
Solubility	miscible in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1.04 g/cm3	Temperature: 25 °C
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 9.41 % - 97.85 g/litre

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

AMMONIA

Corrodes: aluminium,iron,zinc,copper,copper alloys.

(2-methoxymethylethoxy)propanol

Forms peroxides with: air.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

AMMONIA

Risk of explosion on contact with: strong acids,iodine.May react dangerously with: strong bases.

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 9 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 10. Stability and reactivity ... / >>

(2-methoxymethylethoxy)propanol

May react violently with: strong oxidising agents.

2-(2-BUTOXYETHOXY)ETHANOL

May react with: oxidising substances. May form peroxides with: oxygen. Develops hydrogen on contact with: aluminium. May form explosive mixtures with: air.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

(2-methoxymethylethoxy)propanol

Avoid exposure to: sources of heat. Possibility of explosion.

2-(2-BUTOXYETHOXY)ETHANOL

Avoid exposure to: air.

10.5. Incompatible materials

AMMONIA

Incompatible with: silver, silver salts, lead, lead salts, zinc, zinc salts, hydrochloric acid, nitric acid, oleum, halogens, acrolein, nitromethane, acrylic acid.

2-(2-BUTOXYETHOXY)ETHANOL

Incompatible with: oxidising substances, strong acids, alkaline metals.

10.6. Hazardous decomposition products

AMMONIA

May develop: nitric oxide.

2-(2-BUTOXYETHOXY)ETHANOL

May develop: hydrogen.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

2-(2-BUTOXYETHOXY)ETHANOL

WORKERS: inhalation; contact with the skin.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

2-(2-BUTOXYETHOXY)ETHANOL

May be absorbed by inhalation, ingestion and skin contact; is irritating for the skin and especially for the eyes. May cause damage to the spleen. At room temperature the danger of inhalation is unlikely, due to the low vapour pressure of the substance.

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

(2-methoxymethylethoxy)propanol

LD50 (Dermal):

9510 mg/kg Rabbit

LD50 (Oral):

5660 mg/kg Rat

2-(2-BUTOXYETHOXY)ETHANOL

LD50 (Dermal):

2764 mg/kg Rabbit

LD50 (Oral):

2410 mg/kg Mouse

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 10 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 11. Toxicological information ... / >>

1,2-benzisothiazol-3(2H)-one
LD50 (Dermal): > 2000 mg/kg Rat
LD50 (Oral): 490 mg/kg Rat

AMMONIA
LC50 (Inhalation gas): 6750 ppm/4h Rat

2-methyl-2H-isothiazol-3-one
LD50 (Dermal): 242 mg/kg Rat
LD50 (Oral): 120 mg/kg Rat
LC50 (Inhalation mists/powders): 0.11 mg/l/4h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

2-(2-BUTOXYETHOXY)ETHANOL
LC50 - for Fish 1300 mg/l/96h *Lepomis macrochirus*, calculated
EC50 - for Crustacea > 100 mg/l/48h *Daphnia magna*
EC50 - for Algae / Aquatic Plants 1101 mg/l/72h *Raphidocelis subcapitata*
Chronic NOEC for Fish 369 mg/l Calculated
Chronic NOEC for Crustacea 112 mg/l Calculated

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 11 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 12. Ecological information ... / >>

1,2-benzisothiazol-3(2H)-one	
LC50 - for Fish	2.15 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	2.9 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.11 mg/l/72h Selenastrum capricornutum
Chronic NOEC for Algae / Aquatic Plants	0.0403 mg/l Selenastrum capricornutum

AMMONIA	
LC50 - for Fish	0.083 mg/l/96h Oncorhynchus gorbushka
EC50 - for Crustacea	101 mg/l/48h Daphnia magna
Chronic NOEC for Fish	0.013 mg/l Salmo gairdneri
Chronic NOEC for Crustacea	0.961 mg/l Daphnia magna

2-methyl-2H-isothiazol-3-one	
LC50 - for Fish	4.77 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	0.934 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.103 mg/l/72h Selenastrum capricornutum
Chronic NOEC for Fish	4.93 mg/l Oncorhynchus mykiss
Chronic NOEC for Crustacea	0.044 mg/l Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	0.05 mg/l Selenastrum capricornutum

12.2. Persistence and degradability

(2-methoxymethylethoxy)propanol	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

2-(2-BUTOXYETHOXY)ETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

1,2-benzisothiazol-3(2H)-one	
Solubility in water	1288 mg/l
Rapidly degradable	

AMMONIA
Degradability: information not available

2-methyl-2H-isothiazol-3-one	
Solubility in water	489000 mg/l
Degradability: information not available	

12.3. Bioaccumulative potential

(2-methoxymethylethoxy)propanol	
Partition coefficient: n-octanol/water	0.004

2-(2-BUTOXYETHOXY)ETHANOL	
Partition coefficient: n-octanol/water	1

1,2-benzisothiazol-3(2H)-one	
Partition coefficient: n-octanol/water	0.7
BCF	6.62

2-methyl-2H-isothiazol-3-one	
Partition coefficient: n-octanol/water	-0.486
BCF	5.75

12.4. Mobility in soil

1,2-benzisothiazol-3(2H)-one	
Partition coefficient: soil/water	0.97

2-methyl-2H-isothiazol-3-one	
Partition coefficient: soil/water	-24.54

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 12 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 12. Ecological information ... / >>

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 13 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product
Point 3
Contained substance
Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances
AMMONIA

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1A	Skin sensitization, category 1A
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 14 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 16. Other information ... / >>

H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
 23. Delegated Regulation (UE) 2023/707
 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
 27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety

Uniters Spa

EP FILLER N

Revision nr.3
Dated 14/10/2025
Printed on 14/10/2025
Page n. 15 / 15
Replaced revision:2 (Dated 07/01/2025)

EN

SECTION 16. Other information ... / >>

- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 04 / 08 / 09 / 10 / 11 / 12 / 13 / 15 / 16.