

Uniters Spa		Revision nr.14 Dated 23/04/2024 Printed on 23/04/2024 Page n. 1 / 11 Replaced revision:13 (Dated 23/04/2024)		EN
EP SEALER				

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	EP SEALER
--------------	-----------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use	Edge paint basecoat
--------------	---------------------

Identified Uses	Industrial	Professional	Consumer
Products for the treatment of leather articles	-	✓	-
Uses Advised Against			
All other uses are not recommended			

1.3. Details of the supplier of the safety data sheet

Name	Uniters Spa		
Full address	Via E. De Nicola, 1		
District and Country	36075	Montecchio Maggiore	(VI)
		Italia	
	Tel.	0039 0444 499099	
	Fax	0039 0444 499106	
e-mail address of the competent person responsible for the Safety Data Sheet	safetydata@uniters.com		

1.4. Emergency telephone number

For urgent inquiries refer to	+39 0444 499099
-------------------------------	-----------------

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication:	--
---------------------------------------	----

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:	--
Signal words:	--
Hazard statements:	
EUH210	Safety data sheet available on request.
EUH208	Contains: 1,2-benzisothiazol-3(2H)-one May produce an allergic reaction.
Precautionary statements:	--

2.3. Other hazards

EPY 11.5.2 - SDS 1004.14

Uniters Spa		Revision nr.14		EN
EP SEALER		Dated 23/04/2024		
		Printed on 23/04/2024		
		Page n. 2 / 11		
		Replaced revision:13 (Dated 23/04/2024)		
SECTION 2. Hazards identification ... / >>				
On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.				
The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.				
SECTION 3. Composition/information on ingredients				
3.1. Substances				
Information not relevant				
3.2. Mixtures				
Contains:				
Identificationx = Conc. %Classification (EC) 1272/2008 (CLP)				
(2-methoxymethylethoxy)propanol				
INDEX4 ≤ x < 5Substance with a community workplace exposure limit.				
EC252-104-2				
CAS34590-94-8				
REACH Reg. 01-2119450011-60				
1,2-benzisothiazol-3(2H)-one				
INDEX613-088-00-60.03 ≤ x < 0.05Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411				
EC220-120-9				
CAS2634-33-5				
REACH Reg. 01-2120761540-60				
LD50 Oral: 490 mg/kg				
The full wording of hazard (H) phrases is given in section 16 of the sheet.				
SECTION 4. First aid measures				
4.1. Description of first aid measures				
EYES: Remove any contact lenses. Wash thoroughly with warm water for at least 15 minutes, opening the eyelids wide. Consult a doctor if the problem persists.				
SKIN: Wash with soap and water. If irritation persists, consult a doctor.				
INHALATION: Move the subject to fresh air. If breathing is difficult, call a doctor immediately.				
INGESTION: Consult a doctor immediately. Induce vomiting only when advised by your doctor. Do not administer anything orally if the subject is unconscious and unless authorized by the doctor.				
4.2. Most important symptoms and effects, both acute and delayed				
May cause an allergic reaction.				
4.3. Indication of any immediate medical attention and special treatment needed				
Treat symptomatically.				
SECTION 5. Firefighting measures				
5.1. Extinguishing media				
SUITABLE EXTINGUISHING EQUIPMENT				
The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.				
UNSUITABLE EXTINGUISHING EQUIPMENT				
None in particular.				
5.2. Special hazards arising from the substance or mixture				
HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE				
Do not breathe combustion products.				
5.3. Advice for firefighters				
GENERAL INFORMATION				
Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for				
EPY 11.5.2 - SDS 1004.14				

Uniters Spa EP SEALER		Revision nr. 14 Dated 23/04/2024 Printed on 23/04/2024 Page n. 3 / 11 Replaced revision:13 (Dated 23/04/2024)	EN
health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).			
SECTION 6. Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
Block the leakage if there is no hazard. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.			
6.2. Environmental precautions			
The product must not penetrate into the sewer system or come into contact with surface water or ground water.			
6.3. Methods and material for containment and cleaning up			
Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.			
6.4. Reference to other sections			
Any information on personal protection and disposal is given in sections 8 and 13.			
SECTION 7. Handling and storage			
7.1. Precautions for safe handling			
Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.			
7.2. Conditions for safe storage, including any incompatibilities			
Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.			
7.3. Specific end use(s)			
The intended uses are indicated in Section 1. No other particular end uses are foreseen.			
SECTION 8. Exposure controls/personal protection			
8.1. Control parameters			
Regulatory references:			
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56	
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019	
ESP	España	Límites de exposición profesional para agentes químicos en España 2021	
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS	
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH HÄLSOVÄRDSMINISTERIETS PUBLIKATIONER 2020:25	
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről	
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)	
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81	
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i	
EPY 11.5.2 - SDS 1004.14			

SECTION 8. Exposure controls/personal protection ... / >>

		arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1)
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2022

1,2-benzisothiazol-3(2H)-one

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00403	mg/l
Normal value in marine water	0.00040	mg/l
	3	
Normal value for fresh water sediment	0.0499	mg/kg/d
Normal value for marine water sediment	0.00499	mg/kg/d
Normal value for marine water, intermittent release	0.0011	mg/l
Normal value for fresh water, intermittent release	0.00011	mg/l
Normal value of STP microorganisms	1.03	mg/l

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		NPI		NPI				
Inhalation	NPI	NPI	NPI	1.2 mg/m3	NPI	NPI	NPI	6.81 mg/m3
Skin	HIGH	NPI	HIGH	0.345 mg/kg bw/d	HIGH	NPI	HIGH	0.966 mg/kg bw/d

Uniters Spa

EP SEALER

Revision nr.14
Dated 23/04/2024
Printed on 23/04/2024
Page n. 5 / 11
Replaced revision:13 (Dated 23/04/2024)

EN

SECTION 8. Exposure controls/personal protection ... / >>

(2-methoxymethylethoxy)propanol

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	310	50	310	50	SKIN E	
MAK	DEU	310	50	310	50		
TLV	DNK	309	50	618	100		
VLA	ESP	308	50				
VLEP	FRA	308	50				
HTP	FIN	310	50				
AK	HUN	308					
GVI/KGVI	HRV	308	50				
VLEP	ITA	308	50				
TLV	NOR	300	50				
TGG	NLD	300	48.7				
VLE	PRT	308	50				
NDS/NDSch	POL	240		480			
TLV	ROU	308	50				
NGV/KGV	SWE	300	50	450 (C)	75 (C)		
NPEL	SVK	308	50				
MV	SVN	308	50				
WEL	GBR	308	50				
OEL	EU	308	50				
TLV-ACGIH			50				

Predicted no-effect concentration - PNEC

Normal value in fresh water	19	mg/l
Normal value in marine water	1.9	mg/l
Normal value for fresh water sediment	70.2	mg/kg
Normal value for marine water sediment	7.02	mg/kg
Normal value for marine water, intermittent release	190	mg/l
Normal value of STP microorganisms	4168	mg/l
Normal value for the terrestrial compartment	2.74	mg/kg
Normal value for the atmosphere	NPI	

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		NPI		36 mg/kg bw/d				
Inhalation	NPI	NPI	NPI	37.2 mg/m3	NPI	NPI	NPI	308 mg/m3
Skin	NPI	NPI	NPI	121 mg/kg bw/d	NPI	NPI	NPI	283 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

None required.

EYE PROTECTION

None required.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

Uniters Spa

EP SEALER

Revision nr.14
Dated 23/04/2024
Printed on 23/04/2024
Page n. 6 / 11
Replaced revision:13 (Dated 23/04/2024)

EN

SECTION 8. Exposure controls/personal protection ... / >>

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	white	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	> 100 °C	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	Combustion not sustained.	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	8.5	Temperature: 25 °C
Kinematic viscosity	not available	
Solubility	miscible in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1.01 mg/l	Temperature: 25 °C
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Flammable liquids

Sustained combustibility does not sustain combustion

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 7.54 % - < 0.01 g/litre

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

(2-methoxymethylethoxy)propanol

Forms peroxides with: air.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

(2-methoxymethylethoxy)propanol

May react violently with: strong oxidising agents.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

Uniters Spa		Revision nr.14		EN
EP SEALER		Dated 23/04/2024		
		Printed on 23/04/2024		
		Page n. 7 / 11		
		Replaced revision:13 (Dated 23/04/2024)		
SECTION 10. Stability and reactivity ... / >>				
(2-methoxymethylethoxy)propanol				
Avoid exposure to: sources of heat.Possibility of explosion.				
10.5. Incompatible materials				
Information not available				
10.6. Hazardous decomposition products				
Information not available				
SECTION 11. Toxicological information				
In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.				
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.				
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Metabolism, toxicokinetics, mechanism of action and other information				
Information not available				
Information on likely routes of exposure				
Information not available				
Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Information not available				
Interactive effects				
Information not available				
ACUTE TOXICITY				
ATE (Inhalation) of the mixture:		Not classified (no significant component)		
ATE (Oral) of the mixture:		Not classified (no significant component)		
ATE (Dermal) of the mixture:		Not classified (no significant component)		
1,2-benzisothiazol-3(2H)-one				
LD50 (Dermal):		> 2000 mg/kg Rat		
LD50 (Oral):		490 mg/kg Rat		
(2-methoxymethylethoxy)propanol				
LD50 (Dermal):		9510 mg/kg Rabbit		
LD50 (Oral):		5660 mg/kg Rat		
SKIN CORROSION / IRRITATION				
Does not meet the classification criteria for this hazard class				
SERIOUS EYE DAMAGE / IRRITATION				
Does not meet the classification criteria for this hazard class				
RESPIRATORY OR SKIN SENSITISATION				
May produce an allergic reaction.				
Contains:				
1,2-benzisothiazol-3(2H)-one				
GERM CELL MUTAGENICITY				
Does not meet the classification criteria for this hazard class				
CARCINOGENICITY				

EPY 11.5.2 - SDS 1004.14

Uniters Spa EP SEALER		Revision nr. 14 Dated 23/04/2024 Printed on 23/04/2024 Page n. 8 / 11 Replaced revision:13 (Dated 23/04/2024)		EN
SECTION 11. Toxicological information ... / >>				
Does not meet the classification criteria for this hazard class				
REPRODUCTIVE TOXICITY				
Does not meet the classification criteria for this hazard class				
STOT - SINGLE EXPOSURE				
Does not meet the classification criteria for this hazard class				
STOT - REPEATED EXPOSURE				
Does not meet the classification criteria for this hazard class				
ASPIRATION HAZARD				
Does not meet the classification criteria for this hazard class				
11.2. Information on other hazards				
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.				
SECTION 12. Ecological information				
Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.				
12.1. Toxicity				
1,2-benzisothiazol-3(2H)-one				
LC50 - for Fish		2.15 mg/l/96h Oncorynchus mykiss		
EC50 - for Crustacea		2.9 mg/l/48h Daphnia magna		
EC50 - for Algae / Aquatic Plants		0.11 mg/l/72h Selenastrum capricornutum		
Chronic NOEC for Algae / Aquatic Plants		0.0403 mg/l Selenastrum capricornutum		
12.2. Persistence and degradability				
1,2-benzisothiazol-3(2H)-one				
Solubility in water		1288 mg/l		
Rapidly degradable				
(2-methoxymethylethoxy)propanol				
Solubility in water		1000 - 10000 mg/l		
Rapidly degradable				
12.3. Bioaccumulative potential				
1,2-benzisothiazol-3(2H)-one				
Partition coefficient: n-octanol/water		0.7		
BCF		6.62		
(2-methoxymethylethoxy)propanol				
Partition coefficient: n-octanol/water		0.004		
12.4. Mobility in soil				
1,2-benzisothiazol-3(2H)-one				
Partition coefficient: soil/water		0.97		
12.5. Results of PBT and vPvB assessment				
On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.				
12.6. Endocrine disrupting properties				

EPY 11.5.2 - SDS 1004.14

Uniters Spa

EP SEALER

Revision nr.14
Dated 23/04/2024
Printed on 23/04/2024
Page n. 9 / 11
Replaced revision:13 (Dated 23/04/2024)

EN

SECTION 12. Ecological information ... / >>

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: _____ None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance

Point _____ 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Uniters Spa

EP SEALER

Revision nr.14
Dated 23/04/2024
Printed on 23/04/2024
Page n. 10 / 11
Replaced revision:13 (Dated 23/04/2024)

EN

SECTION 15. Regulatory information ... / >>

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds

Uniters Spa

EP SEALER

Revision nr.14
Dated 23/04/2024
Printed on 23/04/2024
Page n. 11 / 11
Replaced revision:13 (Dated 23/04/2024)

EN

SECTION 16. Other information ... / >>

- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

03 / 09 / 11 / 12.